


Orthopaedic Instrument – Screw Driver

The Single Slot Screw Drivers have a single horizontal slot in the fastener head and is driven by a flat-bladed screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.




Material: Stainless Steel and Phenolic

TWS 13-001503/07	Screw Driver with Phenolic Handle, Single Slot 15cm Long, 3mm x 0.7mm Single Slot
TWS 13-001505/07	Screw Driver with Phenolic Handle, Single Slot 15cm Long, 5mm x 0.7mm Single Slot
TWS 13-001803/07	Screw Driver with Phenolic Handle, Single Slot 18cm Long, 3mm x 0.7mm Single Slot
TWS 13-001805/07	Screw Driver with Phenolic Handle, Single Slot 18cm Long, 5mm x 0.7mm Single Slot
TWS 13-002003/07	Screw Driver with Phenolic Handle, Single Slot 20cm Long, 3mm x 0.7mm Single Slot
TWS 13-002005/07	Screw Driver with Phenolic Handle, Single Slot 20cm Long, 5mm x 0.7mm Single Slot
TWS 13-002303/07	Screw Driver with Phenolic Handle, Single Slot 23cm Long, 3mm x 0.7mm Single Slot
TWS 13-002305/07	Screw Driver with Phenolic Handle, Single Slot 23cm Long, 5mm x 0.7mm Single Slot
TWS 13-003003/07	Screw Driver with Phenolic Handle, Single Slot 30cm Long, 3mm x 0.7mm Single Slot
TWS 13-003005/07	Screw Driver with Phenolic Handle, Single Slot 30cm Long, 5mm x 0.7mm Single Slot

Orthopaedic Instrument – Screw Driver

The Single Slot Screw Drivers have a single horizontal slot in the fastener head and is driven by a flat-bladed screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.




Material: Stainless Steel and Phenolic

TWS 13-001503/10	Screw Driver with Phenolic Handle, Single Slot 15cm Long, 3mm x 1.0mm Single Slot
TWS 13-001505/10	Screw Driver with Phenolic Handle, Single Slot 15cm Long, 5mm x 1.0mm Single Slot
TWS 13-001803/10	Screw Driver with Phenolic Handle, Single Slot 18cm Long, 3mm x 1.0mm Single Slot
TWS 13-001805/10	Screw Driver with Phenolic Handle, Single Slot 18cm Long, 5mm x 1.0mm Single Slot
TWS 13-002003/10	Screw Driver with Phenolic Handle, Single Slot 20cm Long, 3mm x 1.0mm Single Slot
TWS 13-002005/10	Screw Driver with Phenolic Handle, Single Slot 20cm Long, 5mm x 1.0mm Single Slot
TWS 13-002303/10	Screw Driver with Phenolic Handle, Single Slot 23cm Long, 3mm x 1.0mm Single Slot
TWS 13-002305/10	Screw Driver with Phenolic Handle, Single Slot 23cm Long, 5mm x 1.0mm Single Slot
TWS 13-003003/10	Screw Driver with Phenolic Handle, Single Slot 30cm Long, 3mm x 1.0mm Single Slot
TWS 13-003005/10	Screw Driver with Phenolic Handle, Single Slot 30cm Long, 5mm x 1.0mm Single Slot

Orthopaedic Instrument – Screw Driver

The Single Slot Screw Drivers have a single horizontal slot in the fastener head and is driven by a flat-bladed screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.



Material: Stainless Steel and Phenolic

TWS 13-001503/13	Screw Driver with Phenolic Handle, Single Slot 15cm Long, 3mm x 1.3mm Single Slot
TWS 13-001505/13	Screw Driver with Phenolic Handle, Single Slot 15cm Long, 5mm x 1.3mm Single Slot
TWS 13-001803/13	Screw Driver with Phenolic Handle, Single Slot 18cm Long, 3mm x 1.3mm Single Slot
TWS 13-001805/13	Screw Driver with Phenolic Handle, Single Slot 18cm Long, 5mm x 1.3mm Single Slot
TWS 13-002003/13	Screw Driver with Phenolic Handle, Single Slot 20cm Long, 3mm x 1.3mm Single Slot
TWS 13-002005/13	Screw Driver with Phenolic Handle, Single Slot 20cm Long, 5mm x 1.3mm Single Slot
TWS 13-002303/13	Screw Driver with Phenolic Handle, Single Slot 23cm Long, 3mm x 1.3mm Single Slot
TWS 13-002305/13	Screw Driver with Phenolic Handle, Single Slot 23cm Long, 5mm x 1.3mm Single Slot
TWS 13-003003/13	Screw Driver with Phenolic Handle, Single Slot 30cm Long, 3mm x 1.3mm Single Slot
TWS 13-003005/13	Screw Driver with Phenolic Handle, Single Slot 30cm Long, 5mm x 1.3mm Single Slot

Orthopaedic Instrument – Screw Driver

The Cruciform and Philips Screw Drivers have a Cross slot in the fastener head and is driven by a Cruciform or Philips screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.




Material: Stainless Steel and Phenolic

TWS 14-001500/06	Screw Driver with Phenolic Handle, Cruciform Slot, 15cm Long, 6mm Cross
TWS 14-001800/06	Screw Driver with Phenolic Handle, Cruciform Slot, 18cm Long, 6mm Cross
TWS 14-002000/06	Screw Driver with Phenolic Handle, Cruciform Slot, 20cm Long, 6mm Cross
TWS 14-002300/06	Screw Driver with Phenolic Handle, Cruciform Slot, 23cm Long, 6mm Cross
TWS 14-003000/06	Screw Driver with Phenolic Handle, Cruciform Slot, 30cm Long, 6mm Cross
TWS 14-001500/07	Screw Driver with Phenolic Handle, Cruciform Slot, 15cm Long, 7mm Cross
TWS 14-001800/07	Screw Driver with Phenolic Handle, Cruciform Slot, 18cm Long, 7mm Cross
TWS 14-002007/07	Screw Driver with Phenolic Handle, Cruciform Slot, 20cm Long, 7mm Cross
TWS 14-002303/07	Screw Driver with Phenolic Handle, Cruciform Slot, 23cm Long, 7mm Cross
TWS 14-003005/07	Screw Driver with Phenolic Handle, Cruciform Slot, 30cm Long, 7mm Cross

Orthopaedic Instrument – Screw Driver

The Cruciform and Philips Screw Drivers have a Cross slot in the fastener head and is driven by a Cruciform or Philips screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.




Material: Stainless Steel and Phenolic

TWS 14-011500/03	Screw Driver with Phenolic Handle, Philips Slot 15cm Long, 3mm Cross
TWS 14-011800/03	Screw Driver with Phenolic Handle, Philips Slot 18cm Long, 3mm Cross
TWS 14-012000/03	Screw Driver with Phenolic Handle, Philips Slot 20cm Long, 3mm Cross
TWS 14-012300/03	Screw Driver with Phenolic Handle, Philips Slot 23cm Long, 3mm Cross
TWS 14-013000/03	Screw Driver with Phenolic Handle, Philips Slot 30cm Long, 3mm Cross
TWS 14-011500/04	Screw Driver with Phenolic Handle, Philips Slot 15cm Long, 4mm Cross
TWS 14-011800/04	Screw Driver with Phenolic Handle, Philips Slot 18cm Long, 4mm Cross
TWS 14-012007/04	Screw Driver with Phenolic Handle, Philips Slot, 20cm Long, 4mm Cross
TWS 14-012303/04	Screw Driver with Phenolic Handle, Philips Slot 23cm Long, 4mm Cross
TWS 14-013005/04	Screw Driver with Phenolic Handle, Philips Slot 30cm Long, 4mm Cross

Orthopaedic Instrument – Screw Driver

The Hexagonal Slot Screw Drivers have a Hexagonal slot in the fastener head and is driven by a Hex screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.




Material: Stainless Steel and Phenolic

TWS 14-021500/15	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 1.5mm Hex
TWS 14-021800/15	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 1.5mm Hex
TWS 14-022000/15	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 1.5mm Hex
TWS 14-022300/15	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 1.5mm Hex
TWS 14-023000/15	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 1.5mm Hex
TWS 14-021500/25	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 2.5mm Hex
TWS 14-021800/25	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 2.5mm Hex
TWS 14-022007/25	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 2.5mm Hex
TWS 14-022303/25	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 2.5mm Hex
TWS 14-023005/25	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 2.5mm Hex

Orthopaedic Instrument – Screw Driver

The Hexagonal Slot Screw Drivers have a Hexagonal slot in the fastener head and is driven by a Hex screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.




Material: Stainless Steel and Phenolic

TWS 14-021500/15	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 1.5mm Hex
TWS 14-021800/15	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 1.5mm Hex
TWS 14-022000/15	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 1.5mm Hex
TWS 14-022300/15	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 1.5mm Hex
TWS 14-023000/15	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 1.5mm Hex
TWS 14-021500/25	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 2.5mm Hex
TWS 14-021800/25	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 2.5mm Hex
TWS 14-022007/25	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 2.5mm Hex
TWS 14-022303/25	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 2.5mm Hex
TWS 14-023005/25	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 2.5mm Hex

Orthopaedic Instrument – Screw Driver

The Hexagonal Slot Screw Drivers have a Hexagonal slot in the fastener head and is driven by a Hex screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.



Material: Stainless Steel and Phenolic

TWS 14-021500/30	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 3.0mm Hex
TWS 14-021800/30	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 3.0mm Hex
TWS 14-022000/30	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 3.0mm Hex
TWS 14-022300/30	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 3.0mm Hex
TWS 14-023000/30	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 3.0mm Hex
TWS 14-021500/35	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 3.5mm Hex
TWS 14-021800/35	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 3.5mm Hex
TWS 14-022007/35	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 3.5mm Hex
TWS 14-022303/35	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 3.5mm Hex
TWS 14-023005/35	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 3.5mm Hex

Orthopaedic Instrument – Screw Driver

The Hexagonal Slot Screw Drivers have a Hexagonal slot in the fastener head and is driven by a Hex screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.



Material: Stainless Steel and Phenolic

TWS 14-021500/40	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 4.0mm Hex
TWS 14-021800/40	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 4.0mm Hex
TWS 14-022000/40	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 4.0mm Hex
TWS 14-022300/40	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 4.0mm Hex
TWS 14-023000/40	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 4.0mm Hex
TWS 14-021500/45	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 4.5mm Hex
TWS 14-021800/45	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 4.5mm Hex
TWS 14-022007/45	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 4.5mm Hex
TWS 14-022303/45	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 4.5mm Hex
TWS 14-023005/45	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 4.5mm Hex

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

Orthopaedic Instrument – Screw Driver

The Hexagonal Slot Screw Drivers have a Hexagonal slot in the fastener head and is driven by a Hex screwdriver. Different screwdriver heads are used for surgery where screws have been used including- Single Slot, Cruciform, Philips, Hexagonal, and Stars with different head sizes and lengths or Black Coated Series. Angular Screw Drivers can be tailor made.



Material: Stainless Steel and Phenolic

TWS 14-021500/50	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 5.0mm Hex
TWS 14-021800/50	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 5.0mm Hex
TWS 14-022000/50	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 5.0mm Hex
TWS 14-022300/50	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 5.0mm Hex
TWS 14-023000/50	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 5.0mm Hex
TWS 14-021500/55	Screw Driver with Phenolic Handle, hexagonal Slot 15cm Long, 5.5mm Hex
TWS 14-021800/55	Screw Driver with Phenolic Handle, hexagonal Slot 18cm Long, 5.5mm Hex
TWS 14-022007/55	Screw Driver with Phenolic Handle, hexagonal Slot 20cm Long, 5.5mm Hex
TWS 14-022303/55	Screw Driver with Phenolic Handle, hexagonal Slot 23cm Long, 5.5mm Hex
TWS 14-023005/55	Screw Driver with Phenolic Handle, hexagonal Slot 30cm Long, 5.5mm Hex