


Orthopaedic Instrument – Trocar




TWS 10-1660/02	Trocar with Sharp Trocar Point and Cannulas 2mm Dia., Straight, 16cm Length, Stainless Steel,
TWS 10-1660/03	Trocar with Sharp Trocar Point and Cannulas 3mm Dia., Straight, 16cm Length, Stainless Steel,
TWS 10-1660/04	Trocar with Sharp Trocar Point and Cannulas 4mm Dia., Straight, 16cm Length, Stainless Steel,
TWS 10-1660/05	Trocar with Sharp Trocar Point and Cannulas 5mm Dia., Straight, 16cm Length, Stainless Steel,
TWS 10-1660/06	Trocar with Sharp Trocar Point and Cannulas 6mm Dia., Straight, 16cm Length, Stainless Steel,



TWS 10-1661/02	Trocar with Sharp Trocar Point and Cannulas 2mm Dia., Curved, 16cm Length, Stainless Steel,
TWS 10-1661/03	Trocar with Sharp Trocar Point and Cannulas 3mm Dia., Curved, 16cm Length, Stainless Steel,
TWS 10-1661/04	Trocar with Sharp Trocar Point and Cannulas 4mm Dia., Curved, 16cm Length, Stainless Steel,
TWS 10-1661/05	Trocar with Sharp Trocar Point and Cannulas 5mm Dia., Curved, 16cm Length, Stainless Steel,
TWS 10-1661/06	Trocar with Sharp Trocar Point and Cannulas 6mm Dia., Curved, 16cm Length, Stainless Steel,

Orthopaedic Instrument – Trocar



TWS 10-1670/07	Trocar with Sharp Trocar Point and Cannulas 7mm Dia., Straight, 21cm Length, Stainless Steel,
TWS 10-1670/08	Trocar with Sharp Trocar Point and Cannulas 8mm Dia., Straight, 21cm Length, Stainless Steel,
TWS 10-1670/09	Trocar with Sharp Trocar Point and Cannulas 9mm Dia., Straight, 21cm Length, Stainless Steel,
TWS 10-1670/10	Trocar with Sharp Trocar Point and Cannulas 10mm Dia., Straight, 21cm Length, Stainless Steel,
TWS 10-1670/11	Trocar with Sharp Trocar Point and Cannulas 11mm Dia., Straight, 21cm Length, Stainless Steel,,
TWS 10-1670/12	Trocar with Sharp Trocar Point and Cannulas 12mm Dia., Straight, 21cm Length, Stainless Steel,
TWS 10-1670/13	Trocar with Sharp Trocar Point and Cannulas 13mm Dia., Straight, 21cm Length, Stainless Steel,
TWS 10-1670/14	Trocar with Sharp Trocar Point and Cannulas 14mm Dia., Straight, 21cm Length, Stainless Steel,
TWS 10-1670/15	Trocar with Sharp Trocar Point and Cannulas 15mm Dia., Straight, 21cm Length, Stainless Steel,

Treasure Wright (U.K.) Ltd.

128 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

Orthopaedic Instrument

– Trocar with Cannula and Suction



TWS 10-1690/05	Trocar with Sharp Trocar Point and Cannulas with Suction 5mm Dia., Straight, 24cm Length, Stainless Steel,
TWS 10-1690/06	Trocar with Sharp Trocar Point and Cannulas with Suction 6mm Dia., Straight, 24cm Length, Stainless Steel,
TWS 10-1690/07	Trocar with Sharp Trocar Point and Cannulas with Suction 7mm Dia., Straight, 24cm Length, Stainless Steel,
TWS 10-1690/08	Trocar with Sharp Trocar Point and Cannulas with Suction 8mm Dia., Straight, 24cm Length, Stainless Steel,



TWS 10-1720/05	Cannulas Suction Tube for 5mm Dia. Trocar, Stainless Steel,
TWS 10-1720/06	Cannulas Suction Tube for 6mm Dia. Trocar, Stainless Steel,
TWS 10-1720/07	Cannulas Suction Tube for 7mm Dia. Trocar, Stainless Steel,
TWS 10-1720/08	Cannulas Suction Tube for 8mm Dia. Trocar, Stainless Steel,



TWS 10-1721/05	Cannulas Suction Tube for 5mm Dia. Trocar, Stainless Steel,
TWS 10-1721/06	Cannulas Suction Tube for 6mm Dia. Trocar, Stainless Steel,
TWS 10-1721/07	Cannulas Suction Tube for 7mm Dia. Trocar, Stainless Steel,
TWS 10-1721/08	Cannulas Suction Tube for 8mm Dia. Trocar, Stainless Steel,