



TW
Surgical

ENDOSCOPY



**UK
CA** **CE**



TW Surgical

Treasure Wright (U.K.) Ltd.



www.twrightmedical.com



info@twrightmedical.com



TWS 33154 Ø 2,9 mm ■

Diagnostic sheath with 1 rotatable stopcock, WL. 228 mm, round, for 0° Endoscopes


TWS 33155 Ø 2,9 mm ■

Diagnostic sheath with 1 rotatable stopcock, WL. 228 mm, round, for 30° Endoscopes



TWS 33156 ■

Obturator for diagnostic sheaths



TWS 33157 Ø 2,9 mm ■

Diagnostic inner sheath with 1 fixed stopcock, WL. 218 mm, round, for 0° Endoscopes

TWS 33158 Ø 2,9 mm ■

Diagnostic inner sheath with 1 fixed stopcock, WL. 218 mm, round, for 30° Endoscopes



TWS 33159 Ø 3,7 mm ■

Continuous flow outer sheath with 1 fixed stopcock, WL. 200 mm, round, for sheaths



Inner sheath mounted on outer sheath



TWS 33160 ■

Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 5 Charr., for 30° Endoscopes




TWS 33161 Ø 4,3 mm ■

Continuous flow outer sheath with 1 fixed stopcock, WL. 181 mm, drop shape



TWS 33162 Ø 4,3 mm ■

Continuous flow operation sheath with 2 fixed stopcocks, WL. 173 mm, oval, instrument channel with stopcock 5 Charr., for 30° Endoscopes





TWS 33163 Ø 4,0 mm ☐

Diagnostic sheath with 1 rotatable stopcock, WL. 270 mm, round, for 0° Endoscopes


TWS 33164 Ø 4,0 mm ☐

Diagnostic sheath with 1 rotatable stopcock, WL. 270 mm, round, for 30° Endoscopes



TWS 33165 ☐

Obturator for diagnostic sheaths



TWS 33166 Ø 4,0 mm ☐

Diagnostic inner sheath with 1 fixed stopcock, WL. 260 mm, round, for 0° Endoscopes

TWS 33167 Ø 4,0 mm ☐

Diagnostic inner sheath with 1 fixed stopcock, WL. 267 mm, round, for 30° Endoscopes



TWS 33168 Ø 5,0 mm ☐

Continuous flow outer sheath with 1 fixed stopcock, WL 240 mm, round, for sheaths

Operation sheaths for Ø 2.7 / 2.9 mm Endoscopes



Inner sheath mounted on outer sheath



TWS 33169



Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 5 Charr., for 30° Endoscopes



TWS 33170 Ø 5,0 mm ☐

Continuous flow outer sheath with 1 fixed stopcock, WL. 192 mm, drop shape



TWS 33171



Obturator for outer sheath





Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com



Inner sheath mounted on outer sheath



TWS 33172

Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 5 Charr., for 30° Endoscopes



TWS 33173 Ø 5,0 mm ■

Continuous flow outer sheath with 1 fixed stopcock, WL. 216 mm, drop shape



TWS 33174 ■

Obturator for outer sheath


Operation sheaths for Ø 2.7 / 2.9 mm Endoscopes



TW Surgical



Inner sheath mounted on outer sheath



TWS 33175

Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 7 Charr., for 30° Endoscopes



TWS 33176 Ø 5,0 mm


Continuous flow outer sheath with 1 rotatable stopcock, WL. 216 mm, drop shape

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com




Inner sheath mounted on outer sheath



TWS 33177

Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 9 Charr., for 30° Endoscopes



TWS 33178 Ø 6,3 mm

Continuous flow outer sheath with 1 fixed stopcock, WL. 192 mm, drop shape





TWS 33179 Ø 5,0 mm ☐

Operation sheath with 2 fixed stopcocks, drop shape, WL. 248 mm, instrument channel 5 Charr., for 30° Endoscopes



TWS 33180 ☐

Obturator for operation sheath



HIGH-FLOW

TWS 33181 Ø 5,5 mm ☐

Continuous flow operation sheath with 2 fixed stopcocks, WL. 212 mm, round, instrument channel with stopcock 5 Charr., for 12° / 30° Endoscopes



TWS 33182 Ø 6,0 mm ☐

Continuous flow operation sheath with 2 rotatable stopcocks, WL. 200 mm, round, instrument channel 5 Charr., for 0° Endoscopes

TWS 33183 Ø 6,0 mm ☐

Continuous flow operation sheath with 2 rotatable stopcocks, WL. 200 mm, round, instrument channel 5 Charr., for 30° Endoscopes



TWS 33184 Ø 5,0 mm ■

Diagnostic sheath with 1 rotatable stopcock, WL. 270 mm, round, for 0° Endoscopes


TWS 33185 Ø 5,0 mm ■

Diagnostic sheath with 1 rotatable stopcock, WL. 270 mm, round, for 30° Endoscopes



TWS 33186 ■

Obturator for diagnostic sheaths



TWS 33187 Ø 5,4 mm ■

Diagnostic inner sheath with 1 fixed stopcock, WL. 260 mm, round, for 0° and 12° Endoscopes

TWS 33188 Ø 5,4 mm ■

Diagnostic inner sheath with 1 fixed stopcock, WL. 260 mm, round, for 12° and 30° Endoscopes




TWS 33189 Ø 6,5 mm ■

Continuous flow outer sheath with 1 fixed stopcock, WL. 240 mm, round, for sheaths



Inner sheath mounted on outer sheath



TWS 33190



Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 5 Charr., for 30° Endoscopes



TWS 33191 Ø 6,5 mm





Continuous flow outer sheath with 1 fixed stopcock, WL. 192 mm, drop shape





Inner sheath mounted on outer sheath



TWS 33192 ■

Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 5 Charr., for 30° Endoscopes



TWS 33193 Ø 6,5 mm ■

Continuous flow outer sheath with 1 fixed stopcock, WL. 216 mm, drop shape



Inner sheath mounted on outer sheath



TWS 33194

Operation inner sheath with 1 fixed stopcock, drop shape, instrument channel 7 Charr., for 30° Endoscopes



TWS 33195 Ø 7,0 mm

Continuous flow outer sheath with 1 fixed stopcock, WL. 192 mm, drop shape



TWS 33196

Obturator for outer sheath



Inner sheath mounted on outer sheath



TWS 33197

Operation inner sheath with 1 fixed stopcock, oval, instrument channel 7 Charr., for 30° Endoscopes




TWS 33198 Ø 7,0 mm

Dauerspül Außenschaft mit 1 drehbaren Hahn, NL. 182 mm, oval
Continuous flow outer sheath with 1 rotatable stopcock, WL. 182 mm, oval



TWS 33199

Obturator for outer sheath



TWS 33200

Working insert with Albarran deflecting mechanism, with 1 fixed stopcock, instrument channel 7 Charr., for 0°, 12°, 30°, 70° Endoscopes



TWS 33201 Ø 8,0 mm

Continuous flow outer sheath with 1 rotatable stopcock, WL. 180 mm, round



TWS 33202

Obturator for outer sheath



TWS 33203 Ø 7,5 mm ■

Continuous flow operation sheath with rotatable double stopcock, WL. 213.5 mm, round, instrument channel 7 Charr., for 0° Endoscopes

TWS 33204 Ø 7,5 mm ■

Continuous flow operation sheath with rotatable double stopcock, WL. 214.5 mm, round, instrument channel 7 Charr., for 30° Endoscopes




TWS 33205 Ø 8,0 mm ■

Continuous flow operation sheath with 2 rotatable stopcocks, WL. 200 mm, round, instrument channel 7 Charr., for 0° Endoscopes

TWS 33206 Ø 8,0 mm ■


Continuous flow operation sheath with 2 rotatable stopcocks, WL. 200 mm, round, instrument channel 7 Charr., for 30° Endoscopes



	Version	Ø	Length	Flexible	Semi-rigid
	Alligator Grasping forceps, double action	3 Charr.	400 mm	TWS 33207	TWS 33209
		5 Charr.	400 mm	TWS 33208	TWS 33210
	Alligator Grasping forceps, double action	7 Charr.	400 mm	TWS 33211	TWS 33213
		9 Charr.	400 mm	TWS 33212	TWS 33214
	Biopsy forceps, spoon oval, double action	3 Charr.	400 mm	TWS 33215	TWS 33219
		5 Charr.	400 mm	TWS 33216	TWS 33220
		7 Charr.	400 mm	TWS 33217	TWS 33221
		9 Charr.	400 mm	TWS 33218	TWS 33222
	Biopsy forceps, spoon oval, toothed, double action	3 Charr.	400 mm		
		5 Charr.	400 mm	TWS 33223	TWS 33226
		7 Charr.	400 mm	TWS 33224	TWS 33227
		9 Charr.	400 mm	TWS 33225	TWS 33228
	Scissors, blunt, single action	3 Charr.	400 mm	TWS 33229	TWS 33234
		5 Charr.	400 mm	TWS 33230	TWS 33235
		7 Charr.	400 mm	TWS 33231	TWS 33236
		9 Charr.	400 mm	TWS 33232	TWS 33233
	Scissors, pointed, single action	3 Charr.	400 mm		
		5 Charr.	400 mm		TWS 33237
		7 Charr.	400 mm		TWS 33238
		9 Charr.	400 mm		
	Hook Scissors, single action	3 Charr.	400 mm		
		5 Charr.	400 mm	TWS 33239	TWS 33233
		7 Charr.	400 mm	TWS 33240	TWS 33232
		9 Charr.	400 mm		TWS 33231

Other lengths, diameters and jaw parts available on request.

Semi-rigid instruments with Luer-Lock rinsing channel



	Version	Ø	Length	Semi-rigid
	Alligator Grasping forceps, double action	3 Charr.	400 mm	TWS 33234 LL
		5 Charr.	400 mm	TWS 33235 LL
	Alligator Grasping forceps, double action	7 Charr.	400 mm	TWS 33236 LL
		9 Charr.	400 mm	TWS 33237 LL
	Biopsy forceps, spoon oval, double action	3 Charr.	400 mm	TWS 33238 LL
		5 Charr.	400 mm	TWS 33239 LL
		7 Charr.	400 mm	TWS 33240 LL
		9 Charr.	400 mm	TWS 33241 LL
	Biopsy forceps, spoon oval, toothed, double action	3 Charr.	400 mm	TWS 33242 LL
		5 Charr.	400 mm	TWS 33243 LL
		7 Charr.	400 mm	TWS 33244 LL
		9 Charr.	400 mm	TWS 33244 LL
	Scissors, blunt, single action	3 Charr.	400 mm	TWS 33245 LL
		5 Charr.	400 mm	TWS 33246 LL
		7 Charr.	400 mm	TWS 33246 LL
		9 Charr.	400 mm	TWS 33247 LL
	Scissors, pointed, single action	3 Charr.	400 mm	TWS 33248 LL
		5 Charr.	400 mm	TWS 33248 LL
		7 Charr.	400 mm	TWS 33249 LL
		9 Charr.	400 mm	TWS 33249 LL
	Hook Scissors, single action	3 Charr.	400 mm	TWS 33250 LL
		5 Charr.	400 mm	TWS 33250 LL
		7 Charr.	400 mm	TWS 33251 LL
		9 Charr.	400 mm	TWS 33252 LL

Other lengths, diameters and jaw parts available on request.


Treasure Wright (U.K.) Ltd.



128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

Semi-rigid instruments with Luer-Lock rinsing channel




TW Surgical





	Version	Ø	Length 340 mm	Length 400 mm
	Biopsy punch, through-cutting, semi-rigid, single action	5 Charr.	TWS 33253 LL	TWS 33254 LL
	Biopsy forceps, spoon oval, semi-rigid, double action	5 Charr.	TWS 33255 LL	TWS 33256 LL
	Tenaculum grasping forceps, semi-rigid, double action	5 Charr.	TWS 33257 LL	TWS 33258 LL
	Biopsy and grasping forceps, semi-rigid, double action	5 Charr.	TWS 33259 LL	TWS 33260 LL
	Scissors, pointed, semi-rigid, single action	5 Charr.	TWS 33261 LL	TWS 33263 LL
	Scissors, blunt, semi-rigid, single action	5 Charr.	TWS 33262 LL	TWS 33264 LL
	Tenaculum grasping forceps with spike, semi-rigid, double action	5 Charr.	TWS 33265 LL	TWS 33266 LL

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com




	Version	Ø	Length 400 mm
	Biopsy punch, through-cutting, semi-rigid, single action	7 Charr.	TWS 33267 LL
	Biopsy forceps, spoon oval, semi-rigid, double action	7 Charr.	TWS 33268 LL
	Alligator grasping forceps, semi-rigid, double action	7 Charr.	TWS 33269 LL
	Scissors, pointed, semi-rigid, single action	7 Charr.	TWS 33270 LL
	Scissors, blunt, semi-rigid, single action	7 Charr.	TWS 33271 LL
	Hook scissors, semi-rigid, single action	7 Charr.	TWS 33272 LL




Stainless steel handle can be easily removed and detached for better cleaning.



Integrated overload protection for a significantly longer service life.



360° rotatable shaft is smoothly to adjust and with a haptic feedback while rotating.



Cleaning port Luer-Lock for an easier and faster cleaning without removing the handle.

TWS 33273 MH


HyONE Handle with rotating wheel and overload protection, stainless steel





	Version	Ø	Length	Insert, only	Complete with handle
	Alligator Grasping forceps, double action	4 Charr.	340 mm	TWS 33274 MI	TWS 33277 MC
		5 Charr.	340 mm	TWS 33275 MI	TWS 33278 MC
		7 Charr.	340 mm	TWS 33276 MI	TWS 33279 MC
	Biopsy forceps, spoon oval, double action	4 Charr.	340 mm	TWS 33280 MI	TWS 33283 MC
		5 Charr.	340 mm	TWS 33281 MI	TWS 33284 MC
		7 Charr.	340 mm	TWS 33282 MI	TWS 33285 MC
	Biopsy forceps, spoon oval, toothed, double action	4 Charr.	340 mm		
		5 Charr.	340 mm	TWS 33286 MI	TWS 33288 MC
		7 Charr.	340 mm	TWS 33287 MI	TWS 33289 MC
	Scissors, blunt, single action	4 Charr.	340 mm	TWS 33290 MI	TWS 33293 MC
		5 Charr.	340 mm	TWS 33291 MI	TWS 33294 MC
		7 Charr.	340 mm	TWS 33292 MI	TWS 33295 MC
	Scissors, pointed, single action	4 Charr.	340 mm	TWS 33296 MI	TWS 33299 MC
		5 Charr.	340 mm	TWS 33297 MI	TWS 33300 MC
		7 Charr.	340 mm	TWS 33298 MI	TWS 33301 MC
	Hook Scissors, single action	4 Charr.	340 mm		
		5 Charr.	340 mm	TWS 33302 MI	TWS 33306 MC
		7 Charr.	340 mm	TWS 33303 MI	TWS 33307 MC
	Biopsy punch, through-cutting, single action	4 Charr.	340 mm		
		5 Charr.	340 mm	TWS 33304 MI	TWS 33308 MC
		7 Charr.	340 mm	TWS 33305 MI	TWS 33309 MC

Other lengths, diameters and jaw parts available on request.




	Version	Ø	Length	Insert, only	Complete with handle
	Alligator Grasping forceps, double action	4 Charr.	400 mm	TWS 33310 MI	TWS 33316 MC
		5 Charr.	400 mm	TWS 33311 MI	TWS 33318 MC
		7 Charr.	400 mm	TWS 33312 MI	TWS 33317 MC
	Biopsy forceps, spoon oval, double action	4 Charr.	400 mm	TWS 33313 MI	TWS 33319 MC
		5 Charr.	400 mm	TWS 33314 MI	TWS 33320 MC
		7 Charr.	400 mm	TWS 33315 MI	TWS 33321 MC
	Biopsy forceps, spoon oval, toothed, double action	4 Charr.	400 mm		
		5 Charr.	400 mm	TWS 33322 MI	TWS 33324 MC
		7 Charr.	400 mm	TWS 33323 MI	TWS 33325 MC
	Scissors, blunt, single action	4 Charr.	400 mm	TWS 33326 MI	TWS 33329 MC
		5 Charr.	400 mm	TWS 33327 MI	TWS 33330 MC
		7 Charr.	400 mm	TWS 33328 MI	TWS 33331 MC
	Scissors, pointed, single action	4 Charr.	400 mm	TWS 33332 MI	TWS 33335 MC
		5 Charr.	400 mm	TWS 33333 MI	TWS 33336 MC
		7 Charr.	400 mm	TWS 33334 MI	TWS 33337 MC
	Hook Scissors, single action	4 Charr.	400 mm		
		5 Charr.	400 mm	TWS 33338 MI	TWS 33340 MC
		7 Charr.	400 mm	TWS 33339 MI	TWS 33341 MC
	Biopsy punch, through-cutting, single action	4 Charr.	400 mm		
		5 Charr.	400 mm	TWS 33342 MI	TWS 33344 MC
		7 Charr.	400 mm	TWS 33343 MI	TWS 33345 MC

Other lengths, diameters and jaw parts available on request.



TWS 33346 5 Charr.

Palpation probe, graduated, WL 340 mm, semi-rigid





TWS 33347 5 Charr.

Myoma fixation screw, WL 340 mm, semi-rigid



Version	Ø	Length	Length
		450 mm	650 mm
	3 Charr.	TWS 33348	TWS 33349
	4 Charr.	TWS 33350	TWS 33364
	5 Charr.	TWS 33355	TWS 33365
	6 Charr.	TWS 33356	TWS 33366
	7 Charr.	TWS 33357	TWS 33367
	8 Charr.	TWS 33358	TWS 33368
	9 Charr.	TWS 33359	TWS 33369
	10 Charr.	TWS 33360	TWS 33370
	3 Charr.	TWS 33352	TWS 33361
	5 Charr.	TWS 33353	TWS 33362
	7 Charr.	TWS 33354	TWS 33363
	5 Charr.	TWS 33371	TWS 33375
	7 Charr.	TWS 33372	TWS 33377
	9 Charr.	TWS 33373	TWS 33379
	10 Charr.	TWS 33374	TWS 33376



TWS 33380 5 Charr.	TWS 33381 5 Charr.	TWS 33382 5 Charr.	TWS 33383 5 Charr.
---------------------------	---------------------------	---------------------------	---------------------------

Button tip electrode, WL 360 mm	Needle electrode, angled, WL 360 mm	Needle electrode, straight, WL 360 mm	Needle electrode, 90° angled, WL 360 mm
---------------------------------	-------------------------------------	---------------------------------------	---

Semi-rigid electrodes, flexible Diathermy loops



TW Surgical




TWS 33384 5 Charr.

Ball electrode, WL. 340 mm, semi-rigid




TWS 33385 5 Charr.

Needle electrode, WL. 340 mm, semi-rigid



Diathermy loop, mounted on handle



TWS 33386 5 Charr.

TWS 33387 7 Charr.

Diathermy loops with Teflon tube, WL 600 mm



TWS 33388 5 / 7 Charr.

Handle with HF-connection

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

Monopolar connecting cable with round plug

		Plug instrument side	
		Length	Item number
Ø 4 mm		3,0 m	TWS 33389
		5,0 m	TWS 33390
Ø 5 mm		3,0 m	TWS 33391
		5,0 m	TWS 33392
Ø 8 mm		3,0 m	TWS 33393
		5,0 m	TWS 33394

Bipolar connecting cables with flat plug

		Plug instrument side			
					
		Flat plug, square	Flat plug, round		
		Length	Item number		
		3,0 m	TWS 33395	TWS 33397	
		5,0 m	TWS 33396	TWS 33398	
		28,2 mm	3,0 m	TWS 33399	TWS 33401
			5,0 m	TWS 33400	TWS 33402
Ø 7,8 mm		3,0 m	TWS 33403	TWS 33405	
		5,0 m	TWS 33404	TWS 33406	
Ø 12,3 mm		3,0 m	TWS 33407	TWS 33409	
		5,0 m	TWS 33408	TWS 33410	

! Working elements could be supplied with open handle as well as downside positioned HF-connection



TWS 33411 19 Charr. ☐

TWS 33412 24 Charr. ☒

Monopolar working element, passive cutting, single stem, closed handle



TWS 33413 19 Charr. ☐

TWS 33414 24 Charr. ☒

Monopolar working element, active cutting, single stem, closed handle

Monopolar single stem electrodes



TWS 33415	19 Charr.	☐
TWS 33416	24 Charr.	☐
TWS 33417	27 Charr.	☐

Loop electrode, 30° angled



TWS 33418	19 Charr.	☐
TWS 33419	24 Charr.	☐
TWS 33420	27 Charr.	☐

Loop electrode, straight



TWS 33421	24 Charr.	☐
TWS 33422	27 Charr.	☐

Loop electrode, 90° angled,
for 0° endoscopes



TWS 33423	19 Charr.	☐
TWS 33424	24 Charr.	☐
TWS 33425	27 Charr.	☐

Knife electrode, 90° angled



TWS 33426	24 Charr.	☐
TWS 33427	27 Charr.	☐

Cone electrode



TWS 33428	19 Charr.	☐
TWS 33429	24 Charr.	☐
TWS 33430	27 Charr.	☐

Ball electrode, Ø 3.0 mm



TWS 33431	24 Charr.	☐
TWS 33432	27 Charr.	☐

Ball electrode, Ø 5.0 mm



TWS 33432	19 Charr.	☐
TWS 33433	24 Charr.	☐
TWS 33434	27 Charr.	☐

Roller electrode, smooth, Ø 3.0 mm



TWS 33435	24 Charr.	☐
TWS 33436	27 Charr.	☐

Roller electrode, smooth, Ø 5.0 mm



TWS 33437	24 Charr.	☐
TWS 33438	27 Charr.	☐

Vaporisation electrode, serrated, Ø 3.0 mm



TWS 33439	24 Charr.	☐
TWS 33440	27 Charr.	☐

Vaporisation electrode, serrated, Ø 5.0 mm



TWS 33441	24 Charr.	☐
------------------	-----------	--------------------------

Cut-vaporisation electrode



TWS 33442

Sterilisation tube for resectoscopy electrodes

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

Resectoscopy sheaths

Resectoscopy continuous flow sheaths with 2 stopcocks, **fixed inner sheath**, surround perforation



Size	Colour code	Complete with obturator	Inner sheath, only	Outer sheath, only	Obturator, only
22 Charr.		TWS 33443	TWS 33451 19 Charr.	TWS 33445	TWS 33448
26 Charr.		TWS 33444	TWS 33452 24 Charr.	TWS 33446	TWS 33449
28,5 Charr.		TWS 33444	TWS 33453 27 Charr.	TWS 33447	TWS 33450

Resectoscopy continuous flow sheaths with 2 stopcocks, **rotatable inner sheath**, surround perforation



Size	Colour code	Complete with obturator	Inner sheath, only	Outer sheath, only	Obturator, only
22 Charr.		TWS 33451	TWS 33453 19 Charr.	TWS 33454	TWS 33457
26 Charr.		TWS 33452	TWS 33462 24 Charr.	TWS 33455	TWS 33458
28,5 Charr.		TWS 33453	TWS 33460 27 Charr.	TWS 33456	TWS 33459

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com



TWS 33460	19 Charr.	☐
TWS 33461	24 Charr.	☐
TWS 33462	27 Charr.	☐

Standard obturator for resectoscopy sheaths



TWS 33463	19 Charr.	☐
TWS 33464	24 Charr.	☐
TWS 33465	27 Charr.	☐

Visual obturator for resectoscopy sheaths



TWS 33466	24 Charr.	☐	Kanal I Channel = 5 Charr.
TWS 33467	27 Charr.	☐	Kanal I Channel = 7 Charr.

Visual obturator with instrument channel for resectoscopy sheaths



TWS 33468	24 Charr.	☐
TWS 33469	27 Charr.	☐

Deflecting obturator for resectoscopy sheaths

Monopolar connecting cables with round plug

		Plug instrument side
	Length	Item number
	3,0 m	TWS 33470
	5,0 m	TWS 33471
	3,0 m	TWS 33472
	5,0 m	TWS 33473
	3,0 m	TWS 33474
	5,0 m	TWS 33475

Loops / Knives for cold myoma enucleation (non-electrical)

Mechanical cutting single stem instruments for **non-electrical** use with working elements and resectoscopy sheaths



TWS 33476 24 Charr.

Loop, straight, rectangular



TWS 33477 24 Charr.

Loop, straight, round



TWS 33478 24 Charr.

Knife, 45° angled




TWS 33479 24 Charr.

Knife, straight



TWS 33480 24 Charr.

Knife, H-shape, 90° angled



QUICK-LOCK

TWS 33481 19 Charr. ☐ for Endoscopes Ø 2,7 / 2,9 mm
TWS 33482 24 Charr. ☒ for Endoscopes Ø 4,0 mm

Bipolar working element, passive cutting, single stem, closed handle



QUICK-LOCK

TWS 33483 19 Charr. ☐ for Endoscopes Ø 2,7 / 2,9 mm
TWS 33484 24 Charr. ☒ for Endoscopes Ø 4,0 mm

Bipolar working element, active cutting, single stem, closed handle

Bipolar single stem electrodes



TWS 33485 19 Charr. 
TWS 33486 24 Charr. 
TWS 33487 24 Charr. PI 

Loop electrode, 30° angled



TWS 33488 19 Charr. 
TWS 33489 24 Charr. 

Loop electrode, straight



TWS 33490 19 Charr. 
TWS 33491 24 Charr. 

Loop electrode, 90° angled,
for 0° endoscopes



TWS 33493 19 Charr. 
TWS 33494 24 Charr. 

Knife electrode, 90° angled



TWS 33495 24 Charr. 

Cone electrode



TWS 33496 19 Charr. 
TWS 33497 24 Charr. 

Ball electrode, Ø 3.0 mm



TWS 33498 19 Charr. 
TWS 33499 24 Charr. 

Roller electrode, smooth, Ø 3.0 mm



TWS 33500 24 Charr. 

Vaporisation electrode, serrated, Ø 3.0 mm



TWS 33501 24 Charr. 


Vaporisation electrode, serrated, Ø 5.0 mm



TWS 33502

Sterilisation tube for resectoscopy electrodes

Resectoscopy continuous flow sheaths with 2 stopcocks, **rotatable inner sheath**, surround perforation



QUICK-LOCK

Size	Colour code	Complete with obturator	Inner sheath, only	Outer sheath, only	Obturator, only
22 Charr.	☐	TWS 33503	TWS 33509 19 Charr	TWS 33505	TWS 33507
26 Charr.	☒	TWS 33504	TWS 33510 24 Charr	TWS 33506	TWS 33508



QUICK-LOCK

TWS 33511	19 Charr.	☐
TWS 33512	24 Charr.	☒

Standard obturator for Bipolar resectoscopy sheaths



QUICK-LOCK

TWS 33513	19 Charr.	☐
TWS 33514	24 Charr.	☒

Visual obturator for Bipolar resectoscopy sheaths




QUICK-LOCK

TWS 33515	24 Charr.	☒	Kanal I Channel = 6 Charr.
------------------	-----------	-------------------------------------	----------------------------


Visual obturator with instrument channel for Bipolar resectoscopy sheaths

Bipolar connecting cables with two round plugs



Plug instrument side

	Length	Item number
28,2 mm 	3,0 m	TWS 33516
Ø 7,8 mm 	3,0 m	TWS 33517
Ø 12,3 mm 	3,0 m	TWS 33518




QUICK-LOCK

TWS 33519 17,5 Charr. ■

for Endoscopes Ø 2.9 mm, Mini

HYBRID working element, passive cutting, single stem, closed handle



QUICK-LOCK

TWS 33520 17,5 Charr. ■

for Endoscopes Ø 2.9 mm, Mini

HYBRID working element, active cutting, single stem, closed handle

HYBRID electrodes



TWS 33521 17,5 Charr. 

Loop electrode, 30° angled



TWS 33522 17,5 Charr. 

Loop electrode, straight



TWS 33523 17,5 Charr. 

Knife electrode, 90° angled



TWS 33524 17,5 Charr. 

Ball electrode, Ø 2.0 mm



TWS 33525 17,5 Charr. 


Roller electrode, smooth, Ø 2.0 mm



TWS 33526

Sterilisation tube for resectoscopy electrodes

Resectoscopy continuous flow sheath with 2 stopcocks, **rotatable inner sheath**, surround perforation



QUICK-LOCK

Size	Colour code	Complete with obturator	Inner sheath, only	Outer sheath, only	Obturator, only
18,5 Charr.		TWS 33527	TWS 33528 17,5 Charr.	TWS 33529	TWS 33530



QUICK-LOCK

TWS 33531 17,5 Charr. 

Standard obturator for resectoscopy sheaths



QUICK-LOCK


TWS 33532 17,5 Charr.  Kanal I Channel = 5 Charr.

Visual obturator with instrument channel for HYBRID resectoscopy outer sheath



TWS 33533 24 Charr. ■

HYBRID working element, passive cutting, single stem, closed handle



TWS 33534 24 Charr. ■

HYBRID working element, active cutting, single stem, closed handle

Monopolar single stem electrodes



TWS 33535 24 Charr. ■

Loop electrode, 30° angled



TWS 33536 24 Charr. ■

Loop electrode, straight



TWS 33537 24 Charr. ■

Loop electrode, 90° angled,
for 0° endoscopes



TWS 33538 24 Charr. ■

Knife electrode, 90° angled



TWS 33539 24 Charr. ■

Cone electrode



TWS 33540 24 Charr. ■

Ball electrode, Ø 3.0 mm



TWS 33541 24 Charr. ■

Ball electrode, Ø 5.0 mm



TWS 33542 19 Charr. ■

Roller electrode, smooth, Ø 3.0 mm



TWS 33543 24 Charr. ■

Roller electrode, smooth, Ø 5.0 mm



TWS 33544 24 Charr. ■

Vaporisation electrode, serrated, Ø 3.0 mm



TWS 33545 24 Charr. ■

Vaporisation electrode, serrated, Ø 5.0 mm



TWS 33546 24 Charr. ■

Cut-vaporisation electrode

Bipolar single stem electrodes



TWS 33547 24 Charr. 

TWS 33548 24 Charr. PI 

Loop electrode, 30° angled



TWS 33549 24 Charr. 

Loop electrode, straight



TWS 33550 24 Charr. 

Loop electrode, 90° angled,
for 0° endoscopes



TWS 33551 24 Charr. 

Knife electrode, 90° angled



TWS 33552 24 Charr. 

Cone electrode



TWS 33553 24 Charr. 

Ball electrode, Ø 3.0 mm



TWS 33554 24 Charr. 

Roller electrode, smooth, Ø 3.0 mm



TWS 33555 24 Charr. 

Vaporisation electrode, serrated, Ø 3.0 mm



TWS 33556 24 Charr. 

Vaporisation electrode, serrated, Ø 5.0 mm



TWS 33557


Sterilisation tube for resectoscopy electrodes

Resectoscopy continuous flow sheaths with 2 stopcocks, **fixed inner sheath**, surround perforation



Size	Colour code	Complete with obturator	Inner sheath, only	Outer sheath, only	Obturator, only
26 Charr.		TWS 33558	TWS 33561 24 Charr.	TWS 33559	TWS 33560

Resectoscopy continuous flow sheaths with 2 stopcocks, **rotatable inner sheath**, surround perforation



Size	Colour code	Complete with obturator	Inner sheath, only	Outer sheath, only	Obturator, only
26 Charr.		TWS 33562	TWS 33565 24 Charr	TWS 33563	TWS 33564



TWS 33566 24 Charr. 

Standard obturator for resectoscopy sheaths



TWS 33567 24 Charr. 

Visual obturator for resectoscopy sheaths



TWS 33568 24 Charr.  Kanal I Channel = 5 Charr.

Visual obturator with instrument channel for resectoscopy sheaths



TWS 33569 24 Charr. 


Deflecting obturator for resectoscopy sheaths

Monopolar connecting cables with round plug




	Length	Item number
 Ø 4 mm	3,0 m	TWS 33570
	5,0 m	TWS 33571
 Ø 5 mm	3,0 m	TWS 33572
	5,0 m	TWS 33573
 Ø 8 mm	3,0 m	TWS 33574
	5,0 m	TWS 33575

Bipolar connecting cables with two round plugs



	Length	Item number
 28,2 mm	3,0 m	TWS 33576
 Ø 7,8 mm	3,0 m	TWS 33577
 Ø 12,3 mm	3,0 m	TWS 33578



TWS 33579

Uterus manipulator, only

TWS 33580 SET

Uterus manipulator, complete with 6 adapters



TWS 33581 Ø 8 x 80 mm

Adapter



TWS 33582 Ø 3 x 45 mm

Adapter



TWS 33583

Adapter with cone, short



TWS 33584 Ø 10 x 100 mm

Adapter



TWS 33585 Ø 3 x 55 mm

Adapter



TWS 33586

Adapter with cone, long



TWS 33587 SET

Uterus manipulator, complete



TWS 33588

Universal handle, rotatable



TWS 33589

Shaft with fixation nut



TWS 33590

Inner shaft with locking pin



TWS 33591

Sliding and fixation shaft



TWS 33592

Cervical tenaculum insert



TWS 33593 Ø 4 x 40 mm

TWS 33594 Ø 5 x 50 mm

TWS 33595 Ø 6 x 60 mm

TWS 33596 Ø 7 x 70 mm

TWS 33597 Ø 8 x 80 mm

Intrauterine element with thread



TWS 33598 35,0 mm

TWS 33599 40,0 mm

TWS 33600 45,0 mm

Tube with insulating ring



TWS 33602 Ø 6,1 mm

Adapter for OP-Laparoscope

HD LAP

0°

Length	Ø	
266,3 mm	10,0 mm	TWS 33603

OP-Laparoscope, 90° double angled, instrument channel
Ø 6.0 mm, including adapter



TWS 33605 Ø 6,1 mm

Adapter for OP-Laparoscope

HD LAP

0°


Länge Length	Ø	
266,3 mm	10,0 mm	TWS 33604

OP-Laparoscope, 45° angled, instrument channel
Ø 6.0 mm, including adapter



TWS 33606 Ø 6 x 344,5 mm

Ring applicator for single puncture for use with OP-Laparoscope, complete with loading device and cone part



TWS 33607 Ø 6,5 x 300 mm

Ring applicator for double puncture for use with Ø 7.0 mm trocar sleeve, complete with loading device and cone part



TWS 33608


Loading device for ring applicator



TWS 33609

Cone part for ring applicator

Automatic trocar sleeve with multifunctional valve



Complete with sleeve and conical trocar



Complete with sleeve and pyramidal trocar

Working length	Ø	Sleeve, only	Complete A 	Complete B 
95,0 mm	7,0 mm	TWS 33610	TWS 33614	TWS 33618
97,0 mm	10,0 mm	TWS 33611	TWS 33615	TWS 33619
101,0 mm	11,0 mm	TWS 33612	TWS 33616	TWS 33620
150,0 mm	11,0 mm	TWS 33613 XL	TWS 33617 XL	TWS 33621 XL

XL = for adipose patients



COHEN

TWS 33624 SET



TWS 33622

Adapter, small



TWS 33623

Adapter, large



Myoma drill

TWS 33625 Ø 5 x 330 mm

TWS 33626 Ø 5 x 420 mm



Myoma drill

TWS 33627 Ø 10 x 330 mm

TWS 33628 Ø 10 x 420 mm



TWS 33632

Uterine cannula



TWS 33629

Occlusive nozzle, small



TWS 33631

Occlusive nozzle, medium



TWS 33633

Occlusive nozzle, large



TWS 33630

Manometer



TWS 33634

Syringe, 10 ml



TWS 33635

Connecting piece

Complete, in wooden case

SCHULTZE

TWS 33636 SET


Complete, without manometer, without wooden case

SCHULTZE

TWS 33637 SET

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com




60 x 22 mm

TWS 33638

72 x 22 mm

TWS 33641

TWS 33644 25,0 cm, 9 $\frac{3}{4}$ "
TWS 33645 31,0 cm, 12 $\frac{1}{4}$ "




60 x 22 mm

TWS 33639

72 x 22 mm

TWS 33642

TWS 33646 25,0 cm, 9 $\frac{3}{4}$ "
TWS 33647 31,0 cm, 12 $\frac{1}{4}$ "



60 x 22 mm

TWS 33640


insulated

72 x 22 mm

TWS 33643

insulated

TWS 33648 25,0 cm, 9 $\frac{3}{4}$ "
TWS 33649 31,0 cm, 12 $\frac{1}{4}$ "




60 x 22 mm

TWS 33650

72 x 22 mm

TWS 33651

TWS 33656 25,0 cm, 9 $\frac{3}{4}$ "
TWS 33657 31,0 cm, 12 $\frac{1}{4}$ "




60 x 22 mm

TWS 33652

72 x 22 mm

TWS 33654

TWS 33658 25,0 cm, 9 $\frac{3}{4}$ "
TWS 33659 31,0 cm, 12 $\frac{1}{4}$ "



60 x 22 mm

TWS 33653

isoliert
insulated

72 x 22 mm

TWS 33655

isoliert
insulated

TWS 33660 25,0 cm, 9 $\frac{3}{4}$ "
TWS 33661 31,0 cm, 12 $\frac{1}{4}$ "



lateral fixation screw

CUSCO STANDARD

TWS 33662 80 x 24 mm

TWS 33663 75 x 32 mm

TWS 33664 85 x 35 mm

TWS 33665 110 x 37 mm



lateral fixation screw

GRAVE

TWS 33666 75 x 20 mm

TWS 33667 95 x 35 mm

TWS 33668 115 x 35 mm



KRISTELLER

TWS 33669 Fig. 0

TWS 33670 Fig. 1

TWS 33671 Fig. 2

TWS 33672 Fig. 3

Set

KRISTELLER

TWS 33673 70 x 15 mm

TWS 33674 70 x 27 mm

TWS 33675 80 x 30 mm

TWS 33676 90 x 36 mm

Specula only

KRISTELLER

TWS 33677 70 x 15 mm

TWS 33678 75 x 23 mm

TWS 33679 85 x 26 mm

TWS 33680 100 x 32 mm

Retractor only



6,0 x 20,0 mm

TWS 33681

KOGAN

TWS 33685 24,0 cm, 9 ½ "




6,0 x 20,0 mm

TWS 33682

KOGAN

TWS 33686 24,0 cm, 9 ½ "



3,0 mm

TWS 33683

6,0 mm

TWS 33684

KOGAN

TWS 33687 - TWS 33688 27,0 cm, 10¾ "

HEGAR

TWS 33689 4,0 - 17,0 mm

HEGAR

TWS 33690 1,0 - 26,0 mm



HEGAR

TWS 33691 Ø 1,0 mm

TWS 33692 Ø 2,0 mm

TWS 33693 Ø 3,0 mm

TWS 33694 Ø 4,0 mm

TWS 33695 Ø 5,0 mm

TWS 33696 Ø 6,0 mm

TWS 33697 Ø 7,0 mm

TWS 33698 Ø 8,0 mm

TWS 33699 Ø 9,0 mm

TWS 33700 Ø 10,0 mm

TWS 33701 Ø 11,0 mm

TWS 33702 Ø 12,0 mm

TWS 33703 Ø 13,0 mm

TWS 33704 Ø 14,0 mm

TWS 33705 Ø 15,0 mm

HEGAR

TWS 33706 Ø 16,0 mm

TWS 33707 Ø 17,0 mm

TWS 33708 Ø 18,0 mm

TWS 33709 Ø 19,0 mm

TWS 33800 Ø 20,0 mm

TWS 33801 Ø 21,0 mm

TWS 33802 Ø 22,0 mm

TWS 33803 Ø 23,0 mm

TWS 33804 Ø 24,0 mm

TWS 33805 Ø 25,0 mm

TWS 33806 Ø 26,0 mm

TWS 33807 Ø 27,0 mm

TWS 33808 Ø 28,0 mm

TWS 33809 Ø 29,0 mm

TWS 33810 Ø 30,0 mm

HEGAR

TWS 33811 Ø 1,5 mm

TWS 33812 Ø 2,5 mm

TWS 33813 Ø 3,5 mm

TWS 33814 Ø 4,5 mm

TWS 33815 Ø 5,5 mm

TWS 33816 Ø 6,5 mm

TWS 33817 Ø 7,5 mm

TWS 33818 Ø 8,5 mm

TWS 33819 Ø 9,5 mm

TWS 33820 Ø 10,5 mm

TWS 33821 Ø 11,5 mm

TWS 33822 Ø 12,5 mm

TWS 33823 Ø 13,5 mm

TWS 33824 Ø 14,5 mm

TWS 33825 Ø 15,5 mm

TWS 33826 Ø 16,5 mm

TWS 33827 Ø 17,5 mm

TWS 33828 Ø 18,5 mm

TWS 33829 Ø 19,5 mm



HEGAR

TWS 33830 4,0 - 17,0 mm

HEGAR

TWS 33831 1,0 - 26,0 mm

TWS 33834 4,0 - 17,0 mm

TWS 33835 1,0 - 26,0 mm

TWS 33836 4,0 - 17,0 mm

TWS 33837 1,0 - 26,0 mm

TWS 33838 4,0 - 12,0 mm

TWS 33839 13,0 - 17,0 mm

TWS 33840 1,0 - 17,0 mm

TWS 33841 18,0 - 26,0 mm

Rack, only

Rack, only

HEGAR

TWS 33842 3/4 - 17/18 mm

HEGAR

TWS 33843 1/2 - 25/26 mm



HEGAR

TWS 33844 Ø 1 - 2 mm

TWS 33845 Ø 3 - 4 mm

TWS 33846 Ø 5 - 6 mm

TWS 33847 Ø 7 - 8 mm

TWS 33848 Ø 9 - 10 mm

TWS 33849 Ø 11 - 12 mm

TWS 33850 Ø 13 - 14 mm

TWS 33851 Ø 15 - 16 mm

TWS 33852 Ø 17 - 18 mm

TWS 33853 Ø 19 - 20 mm

TWS 33854 Ø 21 - 22 mm

TWS 33855 Ø 23 - 24 mm

TWS 33856 Ø 25 - 26 mm



HEGAR

TWS 33857 3/4 - 17/18 mm



HEGAR

TWS 33858 1/2 - 25/26 mm



TWS 33859

rigid

TWS 33860

malleable



TWS 33861

rigid

TWS 33862

malleable



SIMS

TWS 33863 - TWS 33864 32,0 cm, 12 ½"

MARTIN

TWS 33865 - TWS 33866 32,0 cm, 12 ½"

VALLEIX

TWS 33867 29,5 cm, 11 ½"



Uterine depressor

BRAUN

TWS 33869 28,0 cm, 11 "



Uterine depressor

SIMS

TWS 33870 26,0 cm, 10 ¼ "



Uterine curette

BLAKE

TWS 33871 28,0 cm, 11 "

blunt



13,0 mm

TWS 33868

8,0 mm



sharp



SCHROEDER

TWS 33873 25,0 cm, 9 $\frac{3}{4}$ "





BRAUN

TWS 33874 25,0 cm, 9 $\frac{3}{4}$ "




POZZI

TWS 33875 25,5 cm, 10 "



ALEXANDER

TWS 33876 20,0 cm, 8 "



DOUAY


TWS 33877 20,0 cm, 8 "

TWS 33878 25,0 cm, 9 ¾ "

TWS 33879 30,0 cm, 11 ¾ "


TWS 33880 35,0 cm, 13 ¾ "

TWS 33881 40,0 cm, 16 "




SCHUMACHER

TWS 33882 24,0 cm, 9 ¼ "



SCHUMACHER


TWS 33883 24,0 cm, 9 ¼ "



EPPENDORF

TWS 33884 20,0 cm, 8 "

TWS 33885 23,0 cm, 9 "




KEVORKIAN

TWS 33886 20,0 cm, 8 "


TWS 33887 23,0 cm, 9 "

TWS 33888 25,0 cm, 9 ¾ "





WITTNER

TWS 33889 23,0 cm, 9 "




WITTNER

TWS 33890 23,0 cm, 9 "



BERGER


TWS 33891 21,0 cm, 8 ¼ "



BURKE

TWS 33892 22,0 cm, 8 $\frac{3}{4}$ "

with fixing screw



TISCHLER-KEVORKIAN

TWS 33893 22,0 cm, 8 $\frac{3}{4}$ "

with fixing screw



KEVORKIAN-PACIFIC

TWS 33894 22,0 cm, 8 $\frac{3}{4}$ "

with fixing screw



TISCHLER

TWS 33895 23,0 cm, 9 "

with fixing screw



BABY-TISCHLER

TWS 33896 20,0 cm, 8 "

with fixing screw



BABY-TISCHLER

TWS 33897 20,0 cm, 8 "

without fixing screw




TISCHLER-MORGAN

TWS 33898 22,0 cm, 8 $\frac{3}{4}$ "

without fixing screw

Treasure Wright (U.K.) Ltd.

128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com



TWS 33899 20,0 cm, 8 "

Instrument for removal of I.U.D.



TWS 33900	6 Charr.
TWS 33901	7 Charr.
TWS 33902	8 Charr.
TWS 33903	9 Charr.
TWS 33904	10 Charr.
TWS 33905	11 Charr.
TWS 33906	12 Charr.
TWS 33907	13 Charr.
TWS 33908	14 Charr.
TWS 33909	16 Charr.
TWS 33910	18 Charr.
TWS 33911	20 Charr.
TWS 33912	22 Charr.
TWS 33913	24 Charr.

for women

TWS 33914 - TWS 33915 15,0 cm, 6 "




TWS 33916 SET

complete, 1 m pressure tube

TWS 33917

Water jet pistol, only



TWS 33918

for bottles



TWS 33919

for Record syringes



TWS 33920

for catheters



TWS 33921

for drainage tubes



TWS 33922

for receptacles




TWS 33923

for needles with Record-cone




TWS 33924

for needles with Luer




TWS 33925

for pipettes




TWS 33926

for fine pipettes



TWS 33927

Coupling 1/2 "



TWS 33928

Coupling 3/4 "

Endoscopy basket with silicone holders for endoscopes



1 Endoscope
2 Endoscopes

Dimensions
290 x 80 x 55

TWS 33929
TWS 33932

Dimensions
460 x 80 x 55

TWS 33930
TWS 33933

Dimensions
670 x 80 x 55

TWS 33931

Endoscopy basket with silicone holders for a variable no. of endoscopes



Dimensions
290 x 160 x 52

TWS 33934

Dimensions
310 x 150 x 77

TWS 33935


Dimensions
460 x 160 x 52

TWS 33936

Dimensions
460 x 225 x 52

TWS 33937

Sterilization basket for a variable no. of endoscopes / URS with adjustable holding device



Dimensions
580 x 160 x 52

TWS 33938

Dimensions
640 x 150 x 77

TWS 33939

Alu scope container, without filters, only for transport and storage, with endoscope holding devices



Dimensions
254 x 61,5 x 49,5

TWS 33940

Dimensions
454 x 72 x 62,5

TWS 33941

Dimensions
454 x 72 x 62,5

TWS 33942

for Endoscope Ø 2,7 / 4,0 mm

Ø 4,0 / 5,0 mm

Ø 10,0 mm

Sterilising box made of heavy stable plastic with PTFE filter. Autoclavable up to 134° C. Proofed for plasma (STERRAD®) and gas sterilisation.



XL

	Dimensions	Dimensions
Plastic colour	497 x 122 x 65	497 x 122 x 65
	TWS 33943	TWS 33944
	Yearly filter	Permanent filter

! Steribox without endoscope holding devices

TWS 33945

Endoscope holding device, 3 x 15 mm / 3 x 2 mm, Unit 2 pcs.

TWS 33946

Endoscope holding device, 3 x 15 mm / 3 x 10 mm, Unit 2 pcs.

PTFE Filter sets



Size	Yearly filter	Permanent filter
XL	TWS 33947	TWS 33948

Indicator label




Size	Item number
SHIMILIXL	TWS 33949

Plastic seal



Size	Item number
SHIMILIXL	TWS 33950


All dimensions in millimetres (mm)



TWS 33951 540 x 243 x 66 mm

TWS 33952 540 x 243 x 66 mm

Basket, complete with racks and lid



TWS 33953

Insert for Resectoscopy Set



TWS 33954

Protection tube for endoscopes up to Ø 5.0 mm and WL 188 mm



TWS 33955

Protection tube for endoscopes up to Ø 5.0 mm and WL 302 mm



TW
Surgical

Treasure Wright (U.K.) Ltd.

**Address: 128-160 , City Road,
London EC1V 2NX. United Kingdom**

www.twrightmedical.com

info@twrightmedical.com



TW Surgical



**UK
CA C E**