TW Surgical

ELASTIC NAIL



TW Surgical

Treasure Wright (U.K.) Ltd.

www.twrightmedical.com

info@twrightmedical.com

TW Surgical

ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures. Elastic Nails provide stable fixation while allowing some flexibility and movement at the fracture site. This feature is particularly beneficial in pediatric patients, as it can help accommodate the natural growth and remodeling of bones during the healing process.



TWS201-3200/10	Elastic Nail, Straight Shaft, 1.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/15	Elastic Nail, Straight Shaft, 1.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/20	Elastic Nail, Straight Shaft, 2.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/25	Elastic Nail, Straight Shaft, 2.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/30	Elastic Nail, Straight Shaft, 3.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/35	Elastic Nail, Straight Shaft, 3.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/40	Elastic Nail, Straight Shaft, 4.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/45	Elastic Nail, Straight Shaft, 4.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/50	Elastic Nail, Straight Shaft, 5.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/55	Elastic Nail, Straight Shaft, 5.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3200/60	Elastic Nail, Straight Shaft, 6.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures. Elastic Nails provide stable fixation while allowing some flexibility and movement at the fracture site. This feature is particularly beneficial in pediatric patients, as it can help accommodate the natural growth and remodeling of bones during the healing process.

TWS201-3201/10	Elastic Nail, Straight Shaft, 1.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/15	Elastic Nail, Straight Shaft, 1.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/20	Elastic Nail, Straight Shaft, 2.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/25	Elastic Nail, Straight Shaft, 2.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/30	Elastic Nail, Straight Shaft, 3.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/35	Elastic Nail, Straight Shaft, 3.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/40	Elastic Nail, Straight Shaft, 4.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/45	Elastic Nail, Straight Shaft, 4.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/50	Elastic Nail, Straight Shaft, 5.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/55	Elastic Nail, Straight Shaft, 5.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3201/60	Elastic Nail, Straight Shaft, 6.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures. Elastic Nails provide stable fixation while allowing some flexibility and movement at the fracture site. This feature is particularly beneficial in pediatric patients, as it can help accommodate the natural growth and remodeling of bones during the healing process.

TWS201-3202/10	Elastic Nail, Straight Shaft, 1.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/15	Elastic Nail, Straight Shaft, 1.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/20	Elastic Nail, Straight Shaft, 2.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/25	Elastic Nail, Straight Shaft, 2.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/30	Elastic Nail, Straight Shaft, 3.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/35	Elastic Nail, Straight Shaft, 3.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/40	Elastic Nail, Straight Shaft, 4.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/45	Elastic Nail, Straight Shaft, 4.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/50	Elastic Nail, Straight Shaft, 5.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/55	Elastic Nail, Straight Shaft, 5.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3202/60	Elastic Nail, Straight Shaft, 6.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Stainless Steel 316LVM (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures. Elastic Nails provide stable fixation while allowing some flexibility and movement at the fracture site. This feature is particularly beneficial in pediatric patients, as it can help accommodate the natural growth and remodeling of bones during the healing process.

TWS201-3203/10	Elastic Nail, Straight Shaft, 1.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/15	Elastic Nail, Straight Shaft, 1.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/20	Elastic Nail, Straight Shaft, 2.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/25	Elastic Nail, Straight Shaft, 2.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/30	Elastic Nail, Straight Shaft, 3.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/35	Elastic Nail, Straight Shaft, 3.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/40	Elastic Nail, Straight Shaft, 4.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/45	Elastic Nail, Straight Shaft, 4.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/50	Elastic Nail, Straight Shaft, 5.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/55	Elastic Nail, Straight Shaft, 5.5mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3203/60	Elastic Nail, Straight Shaft, 6.0mm Diameter, 200mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures. Elastic Nails provide stable fixation while allowing some flexibility and movement at the fracture site. This feature is particularly beneficial in pediatric patients, as it can help accommodate the natural growth and remodeling of bones during the healing process.

TWS201-3204/10	Elastic Nail, Straight Shaft, 1.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/15	Elastic Nail, Straight Shaft, 1.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/20	Elastic Nail, Straight Shaft, 2.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/25	Elastic Nail, Straight Shaft, 2.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/30	Elastic Nail, Straight Shaft, 3.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/35	Elastic Nail, Straight Shaft, 3.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/40	Elastic Nail, Straight Shaft, 4.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/45	Elastic Nail, Straight Shaft, 4.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/50	Elastic Nail, Straight Shaft, 5.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/55	Elastic Nail, Straight Shaft, 5.5mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3204/60	Elastic Nail, Straight Shaft, 6.0mm Diameter, 300mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures. Elastic Nails provide stable fixation while allowing some flexibility and movement at the fracture site. This feature is particularly beneficial in pediatric patients, as it can help accommodate the natural growth and remodeling of bones during the healing process.

TWS201-3205/10	Elastic Nail, Straight Shaft, 1.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/15	Elastic Nail, Straight Shaft, 1.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/20	Elastic Nail, Straight Shaft, 2.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/25	Elastic Nail, Straight Shaft, 2.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/30	Elastic Nail, Straight Shaft, 3.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/35	Elastic Nail, Straight Shaft, 3.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/40	Elastic Nail, Straight Shaft, 4.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/45	Elastic Nail, Straight Shaft, 4.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/50	Elastic Nail, Straight Shaft, 5.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/55	Elastic Nail, Straight Shaft, 5.5mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)
TWS201-3205/60	Elastic Nail, Straight Shaft, 6.0mm Diameter, 400mm Length Nail Tip, Outer Convex Curve, Inter Concave Curve Material: Titanium (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

TW Surgical

END CAP

FOR ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures.
End caps are available for each nail size to ensure perfect-fitting

- Sharp self-cutting thread for fixation in bone
- Reduces the risk of nail back-out
- Facilitates implant removal
- Reduces the risk of soft-tissue irritation



TWS201-3500/10	End Cap, Conical Self Cutting Thread, 1.0mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/15	End Cap, Conical Self Cutting Thread, 1.5mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/20	End Cap, Conical Self Cutting Thread, 2.0mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/25	End Cap, Conical Self Cutting Thread, 2.5mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/30	End Cap, Conical Self Cutting Thread, 3.0mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/35	End Cap, Conical Self Cutting Thread, 3.5mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/40	End Cap, Conical Self Cutting Thread, 4.0mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/45	End Cap, Conical Self Cutting Thread, 4.5mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/50	End Cap, Conical Self Cutting Thread, 5.0mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/55	End Cap, Conical Self Cutting Thread, 5.5mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3500/60	End Cap, Conical Self Cutting Thread, 6.0mm Diameter, 20mm Length Material: Stainless Steel 316LVM (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

TW Surgical

END CAP

FOR ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures.
End caps are available for each nail size to ensure perfect-fitting

- Sharp self-cutting thread for fixation in bone
- Reduces the risk of nail back-out
- Facilitates implant removal
- Reduces the risk of soft-tissue irritation



TWS201-3501/10	End Cap, Conical Self Cutting Thread, 1.0mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/15	End Cap, Conical Self Cutting Thread, 1.5mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/20	End Cap, Conical Self Cutting Thread, 2.0mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/25	End Cap, Conical Self Cutting Thread, 2.5mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/30	End Cap, Conical Self Cutting Thread, 3.0mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/35	End Cap, Conical Self Cutting Thread, 3.5mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/40	End Cap, Conical Self Cutting Thread, 4.0mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/45	End Cap, Conical Self Cutting Thread, 4.5mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/50	End Cap, Conical Self Cutting Thread, 5.0mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/55	End Cap, Conical Self Cutting Thread, 5.5mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3501/60	End Cap, Conical Self Cutting Thread, 6.0mm Diameter, 30mm Length Material: Stainless Steel 316LVM (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

END CAP

FOR ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures.
End caps are available for each nail size to ensure perfect-fitting

- Sharp self-cutting thread for fixation in bone
- Reduces the risk of nail back-out
- Facilitates implant removal
- Reduces the risk of soft-tissue irritation



TWS201-3502/10	End Cap, Conical Self Cutting Thread, 1.0mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/15	End Cap, Conical Self Cutting Thread, 1.5mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/20	End Cap, Conical Self Cutting Thread, 2.0mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/25	End Cap, Conical Self Cutting Thread, 2.5mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/30	End Cap, Conical Self Cutting Thread, 3.0mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/35	End Cap, Conical Self Cutting Thread, 3.5mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/40	End Cap, Conical Self Cutting Thread, 4.0mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/45	End Cap, Conical Self Cutting Thread, 4.5mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/50	End Cap, Conical Self Cutting Thread, 5.0mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/55	End Cap, Conical Self Cutting Thread, 5.5mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)
TWS201-3502/60	End Cap, Conical Self Cutting Thread, 6.0mm Diameter, 40mm Length Material: Stainless Steel 316LVM (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

TW Surgical

END CAP

FOR ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures.
End caps are available for each nail size to ensure perfect-fitting

- Sharp self-cutting thread for fixation in bone
- Reduces the risk of nail back-out
- Facilitates implant removal
- Reduces the risk of soft-tissue irritation



TWS201-3505/10	End Cap, Conical Self Cutting Thread, 1.0mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/15	End Cap, Conical Self Cutting Thread, 1.5mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/20	End Cap, Conical Self Cutting Thread, 2.0mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/25	End Cap, Conical Self Cutting Thread, 2.5mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/30	End Cap, Conical Self Cutting Thread, 3.0mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/35	End Cap, Conical Self Cutting Thread, 3.5mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/40	End Cap, Conical Self Cutting Thread, 4.0mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/45	End Cap, Conical Self Cutting Thread, 4.5mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/50	End Cap, Conical Self Cutting Thread, 5.0mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/55	End Cap, Conical Self Cutting Thread, 5.5mm Diameter, 20mm Length Material: Titanium (Biocompatibility)
TWS201-3505/60	End Cap, Conical Self Cutting Thread, 6.0mm Diameter, 20mm Length Material: Titanium (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

TW Surgical

END CAP

FOR ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures.
End caps are available for each nail size to ensure perfect-fitting

- Sharp self-cutting thread for fixation in bone
- Reduces the risk of nail back-out
- Facilitates implant removal
- Reduces the risk of soft-tissue irritation



TWS201-3506/10	End Cap, Conical Self Cutting Thread, 1.0mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/15	End Cap, Conical Self Cutting Thread, 1.5mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/20	End Cap, Conical Self Cutting Thread, 2.0mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/25	End Cap, Conical Self Cutting Thread, 2.5mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/30	End Cap, Conical Self Cutting Thread, 3.0mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/35	End Cap, Conical Self Cutting Thread, 3.5mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/40	End Cap, Conical Self Cutting Thread, 4.0mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/45	End Cap, Conical Self Cutting Thread, 4.5mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/50	End Cap, Conical Self Cutting Thread, 5.0mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/55	End Cap, Conical Self Cutting Thread, 5.5mm Diameter, 30mm Length Material: Titanium (Biocompatibility)
TWS201-3506/60	End Cap, Conical Self Cutting Thread, 6.0mm Diameter, 30mm Length Material: Titanium (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

TW Surgical

END CAP

FOR ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures.
End caps are available for each nail size to ensure perfect-fitting

- Sharp self-cutting thread for fixation in bone
- Reduces the risk of nail back-out
- Facilitates implant removal
- Reduces the risk of soft-tissue irritation



TWS201-3507/10	End Cap, Conical Self Cutting Thread, 1.0mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/15	End Cap, Conical Self Cutting Thread, 1.5mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/20	End Cap, Conical Self Cutting Thread, 2.0mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/25	End Cap, Conical Self Cutting Thread, 2.5mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/30	End Cap, Conical Self Cutting Thread, 3.0mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/35	End Cap, Conical Self Cutting Thread, 3.5mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/40	End Cap, Conical Self Cutting Thread, 4.0mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/45	End Cap, Conical Self Cutting Thread, 4.5mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/50	End Cap, Conical Self Cutting Thread, 5.0mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/55	End Cap, Conical Self Cutting Thread, 5.5mm Diameter, 40mm Length Material: Titanium (Biocompatibility)
TWS201-3507/60	End Cap, Conical Self Cutting Thread, 6.0mm Diameter, 40mm Length Material: Titanium (Biocompatibility)

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

TW Surgical

INSTRUMENT SET

FOR ELASTIC NAIL

TW Surgical supplies high-quality Elastic Nails, Caps and Instruments to assist with various orthopedic procedures.

TWS201-3600/1	F Tool Bar Small for Reduction
TWS201-3600/2	Threaded Rod for F Tool Bar
TWS201-3600/3	Elastic Nail Impactor Oblique 4.5 mm
TWS201-3600/10 TWS201-3600/15 TWS201-3600/20 TWS201-3600/25 TWS201-3600/30 TWS201-3600/35 TWS201-3600/40 TWS201-3600/45 TWS201-3600/50 TWS201-3600/55 TWS201-3600/60	Elastic Nail Impactor 1.0 mm Elastic Nail Impactor 1.5 mm Elastic Nail Impactor 2.0 mm Elastic Nail Impactor 2.5 mm Elastic Nail Impactor 3.0 mm Elastic Nail Impactor 3.5 mm Elastic Nail Impactor 4.0 mm Elastic Nail Impactor 4.5 mm Elastic Nail Impactor 5.0 mm Elastic Nail Impactor 5.5 mm Elastic Nail Impactor 6.0 mm
TWS201-3601/32 TWS201-3601/45	Double Drill Guide 3.2 mm Double Drill Guide 4.5 mm
TWS201-3602/32 TWS201-3602/35	Drill Bit 3.2 x 200 mm Drill Bit 3.5 x 200 mm
TWS201-3602/1	Extraction Plier for Nail
TWS201-3602/2	Extractor Rod
TWS201-3602/3	Bone Awl
TWS201-3602/4	Hammer Fibre Handle
TWS201-3602/5	Pin Wrench 4.5 x 120 mm
TWS201-3602/6	Slide Hammer
TWS201-3602/7	Nail Cutter 14 inches
TWS201-3602/8	Nail Inserter, T Handle with Chuck and Key

TW Surgical

Treasure Wright (U.K.) Ltd.
128-160 City Road, London, EC1V 2NX, United Kingdom
info@twrightmedical.com

TW Surgical

Treasure Wright (U.K.) Ltd.

Address: 128-160 , City Road,
London EC1V 2NX. United Kingdom

www.twrightmedical.com

info@twrightmedical.com